Author Index of Volume 157

Biographic Notes for authors can be found on p. 203 and p. 445.

Agarwala, V., 9
Astrom, H., 427
Axen, N., 189
Azarkhin, A., 409

Bahadur, S., 229, 245, 263
Beynon, J. H., 81
Bhatia, V. K., 419
Bisht, R. P. S., 419
Buravova, S., 359

Chattopadhyay, A. B., 111
Chetwynd, D. G., 279

DeVor, R. E., 305

El-Gamal, H. A., 389
Erturk, T., 339

Garnham, J. E., 81
Gondal, A. K., 371
Gong, D., 229

Hayward, I. P., 215
Hodgson, D. E., 401

Jain, V. K., 127

Kapoor, S. G., 305
Klimenko, S. A., 1
Kothari, R., 65
Krolikowski, J., 51
Kwon, O. K., 141

Lavielle, L., 181
Liao, Y. S., 325
Linqing, Z., 151
Liu, J. J., 381
Liu, X., 279
Lundberg, J., 427
Luo, S. Y., 325
Lyashko, V. A., 1

Majumdar, B. C., 19
Michalski, J., 207
Mohan, S., 9
Mukovoz, Y. A., 1

Nautiyal, P. C., 371, 419

Odfalk, M., 435
Ogorodnik, V. V., 1
Ostensen, J. O., 427

Pai, R., 19
Paul, S., 111
Pawlus, P., 207
Pramila Bai, B. N., 295

Rabinowicz, E., 31
Ramasesh, B. S., 295
Rao, A. S., 401
Ray, S., 9
Richman, R. H., 401
Richmond, O., 409

Saka, N., 31, 339
Seitzman, L. E., 215
Semwal, P. B., 419
Shim, H. H., 141
Shukla, D. S., 127, 371
Sikdar, C., 111
Singer, I. L., 215
Sivasankaran, G. A., 419
Smith, S. T., 279
Surappa, M. K., 295
Szczepek, J., 51
Szeto, N. K., 339

Vashchenko, A. N., 1
Vingsbo, O., 435
Vook, R. W., 65

Waldorf, D. J., 305
Wang, B.-J., 31
Wei, J., 163, 173

Xue, Q., 163, 173

Yang, C., 263
Yerramareddy, S., 245
Yongqing, J., 151
Youn, J. R., 141

Zhang, X. H., 381
Zhu, B. L., 381
Zum Gahr, K. H., 189

Subject Index of Volume 157

Abrasion
abrasive wear of TiC–steel composite clad layers on tool steel, 189
formulation of the model for optimal proportion of filler in polymer for abrasive wear resistance, 229
Additive interactions
effect of additive interactions on the friction and wear properties of WC coating, 163
Adhesion
friction of polyethylene–terpolymer mixtures on polymer substrates: adhesion dependence, 181
Adiabatic solution
adiabatic solution to oscillating slider bearing problem, 389
Alloys
cavitation erosion of two NiTi alloys, 401
Alumina
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263
Aluminium
dry sliding wear of A356-Al–SiC_p composites, 295
friction characteristics of stir-cast Al–Pb alloys, 9
the effect of laser surface treatments on the tribological behavior of Ti–6Al–4V, 245

Bainitic steels
dry rolling–sliding wear of bainitic and pearlitic steels, 81
Bearing length curve
description of the bearing length curve of the inner surface of piston engine cylinders, 207
Boron nitride
on the wear mechanism of cubic boron nitride base cutting tools, 1
Brush plating
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381

Carbon
dry sliding wear of A356-Al–SiC_p composites, 295
Carrier fluid
the role of carrier fluid on the tribological behaviour of metallic stearates, 127
Cavitation
cavitation erosion of two NiTia alloys, 401
Ceramics
effects of lubricating greases and additives on the friction and wear properties of ceramics, 173
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263
Chemical vapour deposition
effect of roughness on the friction of diamond on CVD diamond films, 215
Circular sawing
wear characteristics of sintered diamond composite in circular sawing, 325
Cold work
the effect of cold work on surface segregation of sulfur on oxygen-free high conductivity copper, 65
Composites
dry sliding wear of A356-Al–SiC_p composites, 295
friction and wear of fiber-reinforced metal–matrix composites, 339
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381
wear characteristics of sintered diamond composite in circular sawing, 325
Contact interference
phase shift of the reflection coefficient of ultrasonic waves in the study of the contact interface, 51
Coated carbide face milling inserts
effect of variation in edge geometry on wear and life of coated carbide face milling inserts, 111
Crankcase oils
effect of methanol fuel contaminants in crankcase oils on wear, 371

Cutting tools
on the wear mechanism of cubic boron nitride base cutting tools, 1

Diamond
effect of roughness on the friction of diamond on CVD diamond films, 215
frictional forces between a diamond stylus and specimens at low load, 279
wear characteristics of sintered diamond composite in circular sawing, 325
Dry rolling–sliding wear
dry rolling–sliding wear of bainitic and pearlitic steels, 81
Dry sliding
dry sliding wear of A356-Al–SiC_p composites, 295
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263

Elastic contact
a full numerical solution for the elastic contact of three-dimensional real rough surfaces, 151
Elasticity
an elastic–plastic model for fretting contact, 435
Erosion
cavitation erosion of two NiTi alloys, 401
erosion spalling mechanism, 359
static-gap, single-spark erosion of Ag–CdO and pure metal electrodes, 31

Face mills
automatic recognition of tool wear on a face mill using a mechanistic modeling approach, 305
Fiber orientation
effects of fiber orientation and humidity on friction and wear properties of graphite fiber composites, 141
Fibre reinforcement
friction and wear of fiber-reinforced metal-matrix composites, 339
Fretting
an elastic–plastic model for fretting contact, 435
Friction
effect of additive interactions on the friction and wear properties of WC coating, 163
effect of roughness on the friction of diamond on CVD diamond films, 215
effects of fiber orientation and humidity on friction and wear properties of graphite fiber composites, 141
effects of lubricating greases and additives on the fraction and wear properties of ceramics, 173
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263
friction and wear of fiber-reinforced metal–matrix composites, 339
friction characteristics of stir-cast Al–Pb alloys, 9
friction of polyethylene–terpolymer mixtures on polymer substrates: adhesion dependence, 181
frictional forces between a diamond stylus and specimens at low load, 279
Fuel contaminants
effect of methanol fuel contaminants in crankcase oils on wear, 371

Gear oil formulations
prediction of performance of industrial gear oil formulations, 419
graphite fiber composites
effects of fiber orientation and humidity on friction and wear properties of graphite fiber composites, 141

High conductivity copper
the effect of cold work on surface segregation of sulfur on oxygen-free high conductivity copper, 65
Humidity
effects of fiber orientation and humidity on friction and wear properties of graphite fiber composites, 141

Journal bearings
stability of submerged oil journal bearings, considering thermal effects, 19

Laser surface treatments
the effect of laser surface treatments on the tribological behavior of Ti–6Al–4V, 245
Lead
friction characteristics of stir-cast Al–Pb alloys, 9

Life
effect of variation in edge geometry on wear and life of coated carbide face milling inserts, 111
Lubricating greases
effects of lubricating greases and additives on the friction and wear properties of ceramics, 173
Lubrication
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263
high-speed video photographs of lubrication breakdown in a squeeze–sliding contact, 427

Matrices
friction and wear of fiber-reinforced metal–matrix composites, 339
Mechanistic modeling
automatic recognition of tool wear on a face mill using a mechanistic modeling approach, 305
Metallic stearates
the role of carrier fluid on the tribological behaviour of metallic stearates, 127
Metals
friction and wear of fiber-reinforced metal–matrix composites, 339
Methanol
effect of methanol fuel contaminants in crankcase oils on wear, 371
Molybdenum
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381

Nickel
cavitation erosion of two NiTi alloys, 401
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381

Optimal proportion
formulation of the model for optimal proportion of filler in polymer for abrasive wear resistance, 229

Pearlitic steels
dry rolling–sliding wear of bainitic and pearlitic steels, 81
Piston engine cylinders
description of the bearing length curve of the inner surface of piston engine cylinders, 207
Plasticity
an elastic–plastic model for fretting contact, 435
Ploughing
a model of ploughing by a pyramidal indenter — upper bound method for stress free surfaces, 409
Polyethylene–terpolymer mixtures
friction of polyethylene–terpolymer mixtures on polymer substrates: adhesion dependence, 181
Polymer substrates
friction of polyethylene–terpolymer mixtures on polymer substrates: adhesion dependence, 181
Polymers
formulation of the model for optimal proportion of filler in polymer for abrasive wear resistance, 229
Pyramidal indenters
a model of ploughing by a pyramidal indenter — upper bound method for stress free surfaces, 409

Reflection coefficient
phase shift of the reflection coefficient of ultrasonic waves in the study of the contact interface, 51
Resistance
formulation of the model for optimal proportion of filler in polymer for abrasive wear resistance, 229
Rough surfaces
a full numerical solution for the elastic contact of three-dimensional real rough surfaces, 151

Silicon
dry sliding wear of A356-Al–SiC_p composites, 295
Silver-based composites
static-gap, single-spark erosion of Ag–CdO and pure metal electrodes, 31
Sintering
wear characteristics of sintered diamond composite in circular sawing, 325
Slider bearing
adiabatic solution to oscillating slider bearing problem, 389

Sliding contact
high-speed video photographs of lubrication breakdown in a squeeze–sliding contact, 427
Spalling
erosion spalling mechanism, 359
Squeeze contact
high-speed video photographs of lubrication breakdown in a squeeze–sliding contact, 427
Stir-cast alloys
friction characteristics of stir-cast Al–Pb alloys, 9
Stress free surfaces
a model of ploughing by a pyramidal indenter – upper bound method for stress free surfaces, 409
Sulphur
the effect of cold work on surface segregation of sulfur on oxygen-free high conductivity copper, 65
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381
Surface segregation
the effect of cold work on surface segregation of sulfur on oxygen-free high conductivity copper, 65

Thermal effects
stability of submerged oil journal bearings, considering thermal effects, 19
TiC–steel composite
abrasive wear of TiC–steel composite clad layers on tool steel, 189
Titanium
cavitation erosion of two NiTi alloys, 401
the effect of laser surface treatments on the tribological behavior of Ti–6Al–4V, 245
Tool steel
abrasive wear of TiC–steel composite clad layers on tool steel, 189
Tool wear
automatic recognition of tool wear on a face mill using a mechanistic modeling approach, 305
Tribological behaviour
the role of carrier fluid on the tribological behaviour of metallic stearates, 127
Tribology
the effect of laser surface treatments on the tribological behavior of Ti–6Al–4V, 245
the tribological performances of Ni/MoS_2 composite brush plating layer in vacuum, 381

Ultrasonic waves
phase shift of the reflection coefficient of ultrasonic waves in the study of the contact interface, 51
Upper bound method
a model of ploughing by a pyramidal indenter – upper bound method for stress free surfaces, 409

Vanadium
the effect of laser surface treatments on the tribological behavior of Ti–6Al–4V, 245

Wear
dry sliding wear of A356-Al–SiC_p composites, 295
effect of additive interactions on the friction and wear properties of WC coating, 163
effect of methanol fuel contaminants in crankcase oils on wear, 371
effect of variation in edge geometry on wear and life of coated carbide face milling inserts, 111
effects of fiber orientation and humidity on friction and wear properties of graphite fiber composites, 141
effects of lubricating greases and additives on the friction and wear properties of ceramics, 173
formulation of the model for optimal proportion of filler in polymer for abrasive wear resistance, 229
friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel, 263
friction and wear of fiber-reinforced metal–matrix composites, 339
wear characteristics of sintered diamond composite in circular sawing, 325
Wear mechanism
on the wear mechanism of cubic boron nitride base cutting tools, 1